L	Hits	Search Text	DB	Time stamp
Number 1	3	(distribution adj scheme) near location	USPAT;	2004/10/12
1	3	(distribution adj scheme) hear location	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/13
2	81	(distribution adj scheme) same location	USPĀT; EPO; JPO; DERWENT;	2004/10/13 10:16
3	2	(distribution adj scheme) same location and (service near execut\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/13
4	150	(distribution) same location and (service near execut\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/13
5	20	(distribution) same location and (service near logic near execut\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/13 10:25
6	247	service near logic near execut\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/13 10:26
9	22	((receiv\$3 or inform\$3 or forward\$3 or get\$4 or accept\$3) near (location or	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/13 10:40
10	10	<pre>geographic or position)) (service near logic near execut\$3) and (node near (placement or arrangement or deploy\$9))</pre>	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/13 10:44
13	26	(distribut\$3 adj service) same (distribut\$3 adj (scheme or method or procedure))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/13 10:46
15	9	(distribut\$3 adj service) same (distribut\$3 adj (scheme or method or procedure)) and (execut\$3)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/13 10:46
89	1	("6366657").PN.	USPAT	2004/10/13
_	2282	(709/220,226,229).CCLS.	USPAT	2004/04/07
-	1712	((709/220,226,229).CCLS.) and network and service	USPAT	2004/04/07 15:32
-	1257	((709/220,226,229).CCLS.) and network and service and distribut\$3	USPAT	2004/04/07 15:32
_	984	((709/220,226,229).CCLS.) and network and service and distribut\$3 and resource	USPAT	2004/10/12 11:15
_	1159	service adj logic	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/12
_	3	service adj logic and distribut\$3 near scheme	USPAT; EPO; JPO; DERWENT;	2004/04/07 16:26
-	3	6075854.URPN.	IBM_TDB USPAT	2004/04/07
_	5	("5329578" "5553130" "5694463" "5832059" "5923745").PN.	USPAT	16:27 2004/04/07 16:33
-	1	6064726.URPN.	USPAT	2004/04/07 16:34
_	5	("5506897" "5592541" "5771279" "5937412" "5940487").PN.	USPAT	2004/04/07
-	485	(709/221).CCLS.	USPAT	2004/04/07
_	230	((709/221).CCLS.) and node	USPAT	2004/04/07 16:42

Search History 10/13/04 1:31:55 PM Page 1

-	174	((709/221).CCLS.) and node and service	USPAT	2004/04/07
_	131	((709/221).CCLS.) and node and service	USPAT	16:38 2004/10/12
	101	and distribut\$3		14:15
-	64	(379/93.29).CCLS.	USPAT	2004/10/12
				17:28
-	2	service adj logic and (place\$5 adj node)	USPAT; EPO; JPO;	2004/04/07
			DERWENT;	17.22
'			IBM TDB	
-	715	natur\$3 adj coupl\$3	USPĀT;	2004/10/12
			EPO; JPO;	11:08
			DERWENT; IBM TDB	
-	93	natur\$3 adj coupl\$3 and service	USPAT;	2004/04/07
			EPO; JPO;	17:24
			DERWENT;	
_	18	natur\$3 adj coupl\$3 and service and node	IBM_TDB USPAT;	2004/04/07
	10	naturys and couplys and service and node	EPO; JPO;	17:24
			DERWENT;	
	1,1	1	IBM_TDB	
_	11	natur\$3 adj coupl\$3 and service and node and network	USPAT; EPO; JPO;	2004/04/07
		and network	DERWENT;	17.29
			IBM_TDB	
_	348	service adj logic and coupl\$3	USPAT;	2004/04/07
			EPO; JPO;	17:32
			DERWENT; IBM TDB	
-	166	service adj logic and coupl\$3 and invok\$3	USPAT;	2004/04/07
			EPO; JPO;	17:39
			DERWENT;	
_	2	 service adj logic and coupl\$3 and invok\$3	IBM_TDB USPAT;	2004/04/07
	_	and (open adj program\$9)	EPO; JPO;	17:48
			DERWENT;	
	0	On an add Duamannahla add Nataraha	IBM_TDB	2004/04/07
-	· ·	Open adj Programmable adj Networks	USPAT; EPO; JPO;	2004/04/07
			DERWENT;	
	_		IBM_TDB	
-	67	Open adj Programmable	USPAT;	2004/04/07
			EPO; JPO; DERWENT;	17:49
			IBM_TDB	
_	43	Open adj Programmable and network	USPAT;	2004/04/08
			EPO; JPO;	09:42
			DERWENT; IBM TDB	
_	3	· F · · · · · · · · · · · · · · · ·	USPAT;	2004/04/08
		(service near logic)	EPO; JPO;	10:52
			DERWENT;	
_	599	 Open adj Program\$9	IBM_TDB USPAT;	2004/04/08
			EPO; JPO;	09:43
		<u>,</u>	DERWENT;	
_	5	Open add Brogrames and (service non-	IBM_TDB	2004/04/08
	٦	Open adj Program\$9 and (service near logic)	USPAT; EPO; JPO;	09:44
			DERWENT;	
			IBM_TDB	
-	27	Open adj Program\$9 and plac\$5 near (node or service or network or client)	USPAT; EPO; JPO;	2004/04/08 09:46
		or service of Hermork of Cifeur)	DERWENT;	09:40
			IBM_TDB	
_	74	Open adj Program\$9 and placement	USPAT;	2004/04/08
			EPO; JPO;	09:46
			DERWENT; IBM TDB	
		L		L

-	39	1 1	USPAT;	2004/04/08
		service	EPO; JPO;	09:46
			DERWENT;	
			IBM_TDB	
-	31	Open adj Program\$9 and placement and	USPAT;	2004/04/08
		service and resource	EPO; JPO;	09:46
			DERWENT;	
			IBM_TDB	
-	24	1 1	USPAT;	2004/04/08
		service and resource and distribut\$3 and	EPO; JPO;	09:48
	•	application and component	DERWENT;	
	23	Onen add Burenamaa and alaraman and	IBM_TDB	2004/04/00
_	23	Open adj Program\$9 and placement and service and resource and distribut\$3 and	USPAT; EPO; JPO;	2004/04/08 09:59
		application and component and node	DERWENT;	09.39
		application and component and node	IBM TDB	1
_	7	("5442791" "5826239" "5999525"	USPAT	2004/04/08
	·	"6058423" "6085030" "6175878"	USFAI	09:52
		"6216173").PN.		09.32
_	8	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/08
		roscaroc ana (macarar mear coapitys)	EPO; JPO;	10:03
			DERWENT;	.
			IBM TDB	
-	650	resource near coupl\$3	USPAT;	2004/04/08
		• •	EPO; JPO;	10:04
			DERWENT;	
			IBM_TDB	
_	184	resource near coupl\$3 and node	USPĀT;	2004/04/08
			EPO; JPO;	10:05
			DERWENT;	
			IBM_TDB	
_	3		USPAT;	2004/04/08
		(distribut\$3 near scheme)	EPO; JPO;	10:06
			DERWENT;	
	1034	di -+ mi h.u. 62	IBM_TDB	2004/04/08
_	1034	distribut\$3 adj schem\$3	USPAT; EPO; JPO;	2004/04/08
			DERWENT;	10.54
			IBM TDB	
_	3	(distribut\$3 adj schem\$3) and (service	USPAT;	2004/04/08
	_	near logic)	EPO; JPO;	10:08
		10000 109107	DERWENT;	
			IBM TDB	
_	3	(distribut\$3 adj schem\$3) and (placement	USPAT;	2004/04/08
		near node)	EPO; JPO;	10:27
			DERWENT;	
			IBM_TDB	
_	3	[,	USPAT;	2004/04/08
		adj node)	EPO; JPO;	10:29
		,	DERWENT;	
	11	6256675 Uppn	IBM_TDB	2004/04/09
-	11	6256675.URPN.	USPAT	2004/04/08
_	1773	service adj node	USPAT;	10:27 2004/04/08
	1//3	Betvice adj node	EPO; JPO;	10:30
			DERWENT;	10.00
			IBM TDB	
_	191	service adj node and programmable	USPAT;	2004/04/08
			EPO; JPO;	10:30
			DERWENT;	
			IBM_TDB	
_	38	service adj node and programmable and	USPAT;	2004/04/08
		service near logic	EPO; JPO;	10:30
			DERWENT;	
			IBM_TDB	
-	27	service adj node and programmable and	USPAT;	2004/04/08
		service near logic and resource	EPO; JPO;	10:48
			DERWENT;	'
l		<u> </u>	IBM TDB	1

	·	<u> </u>		,
-	58	("4201891" "4685125" "4713806"	USPAT	2004/04/08
		"4747130" "4821034" "4872157"		10:35
		"4893302" "5157390" "5195085"		
]	"5226075" "5272749" "5327486" "5329520" "5390335" "5418844"		
	•	"5422940" "5455821" "5475817"	•	
		"5513127" "5530852" "5551035"		
		"5583920" "5603085" "5608446"		
		"5610976" "5619557" "5619562"		
		"5661782" "5664102" "5694463"		
		"5712908" "5724406" "5748468"		
		"5781624" "5784617" "5787160"		
		"5818921" "5825869" "5826268"		
		"5838970" "5848143" "5881134"		
		"5915008" "5940616" "5958016"	į	
	+	"5966434" "6018567" "6035028"		
		"6041109" "6041117" "6049545"	<u> </u>	
		"6098094" "6134433" "6144647"		
		"6169735" "6175618" "6181703"		
	11	"6260067").PN.	***************************************	2004/04/00
-	11	service adj execut\$3 adj engine	USPAT;	2004/04/08
			EPO; JPO; DERWENT;	10:49
			IBM TDB	
·_	18	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
		near resource)	EPO; JPO;	10:54
			DERWENT;	
			IBM TDB	
-	15	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
		near resource) and (invok\$3 same	EPO; JPO;	10:54
		function)	DERWENT;	
			IBM_TDB	
-	15	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
		near resource) and (invok\$3 same	EPO; JPO;	10:55
		function) and algorithm	DERWENT;	·
			IBM_TDB	
-	12	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
		near resource) and (invok\$3 same	EPO; JPO;	10:55
		function) and algorithm and (efficient same resource)	DERWENT;	
_	2	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
	_	near resource) and (invok\$3 same	EPO; JPO;	10:55
		function) and algorithm and (efficient	DERWENT;	20100
		same resource) and throughput and	IBM TDB	
		couplings	-	
-	12		USPAT;	2004/04/08
	1	near resource) and (invok\$3 same	EPO; JPO;	10:56
	1	function) and algorithm and (efficient	DERWENT;	,
	1	same resource) and throughput	IBM_TDB	
-	15	distribut\$3 adj schem\$3 and (physical	USPAT;	2004/04/08
		near resource) and (invok\$3 same	EPO; JPO;	10:56
1		function) and algorithm	DERWENT;	
_	127	5548726.URPN.	IBM_TDB USPAT	2004/04/08
	12'	3340 / 20. URFN.	OSPAI	11:29
_	108	5548726.URPN. and distribut\$3	USPAT	2004/04/08
,		do to to to the time and the time of time of the time of the time of the time of time of the time of t	30	11:30
_	107	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application		11:30
-	105	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application and service		11:30
-	50	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application and service and node		11:30
-	50	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application and service and node and		11:31
1	4.0	network		1 2004/04/22
-	49	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application and service and node and		11:31
	L	(invok\$3 or execut\$3 or run\$4)	L	

-	37	5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
		application and service and node and		11:31
		((invok\$3 or execut\$3 or run\$4) same		
_	21	function) 5548726.URPN. and distribut\$3 and	USPAT	2004/04/08
	21	application and service and node and	USPAT	11:32
		((invok\$3 or execut\$3 or run\$4) same		11:32
		function) and algorithm		·
_	7		USPAT	2004/04/08
		application and service and node and	022112	11:38
		((invok\$3 or execut\$3 or run\$4) same		
		function) and algorithm and scalabl\$5		
-	4		USPAT	2004/04/08
		("6585778") or ("6336137")).PN.		11:39
7	1	("20020087693").PN.	US-PGPUB	2004/10/12
			,	11:10
-	700	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/10/12
	242	service same distribut\$3		11:17
-	243	service adj logic near execut\$3	USPAT;	2004/10/12
			EPO; JPO;	16:17
1			DERWENT; IBM TDB	
1 -	3	 service adj logic near execut\$3 and	USPAT;	2004/10/12
		(distribut\$3 adj scheme)	EPO; JPO;	11:33
,		(discrete day solicite)	DERWENT;	11.33
			IBM TDB	
_	463	service and (distribut\$3 adj scheme)	USPAT;	2004/10/12
·		,,, ,,,,,	EPO; JPO;	11:32
			DERWENT;	
			IBM TDB	
-	136	service adj logic near execut\$3 and	USPĀT;	2004/10/12
		(distribut\$3)	EPO; JPO;	11:33
		•	DERWENT;	
			IBM_TDB	
_	11	service adj logic near execut\$3 same	USPAT;	2004/10/12
		(distribut\$3)	EPO; JPO;	13:18
			DERWENT;	
_	10658	distribut\$3 adj (scheme or method or way	<pre>IBM_TDB USPAT;</pre>	2004/10/12
	10030	or procedure)	EPO; JPO;	13:22
		or procedure,	DERWENT;	13.22
			IBM TDB	
-	360	distribut\$3 adj (scheme or method or way	USPAT;	2004/10/12
		or procedure) same location	EPO; JPO;	13:19
			DERWENT;	
			IBM_TDB	
_	13	distribut\$3 adj (scheme or method or way	USPAT;	2004/10/12
		or procedure) and (service adj logic)	EPO; JPO;	13:20
			DERWENT;	
	1005	diatnihutes adi (1)	IBM_TDB	2004/10/12
_	1085	distribut\$3 adj (scheme)	USPAT; EPO; JPO;	2004/10/12 13:31
			DERWENT;	13.31
		·	IBM TDB	
_	87	distribut\$3 adj (scheme) same service	USPAT;	2004/10/12
	' '		EPO; JPO;	13:23
			DERWENT;	
1			IBM TDB	
] -	61		USPAT;	2004/10/12
1		(location or interaction or coupling)	EPO; JPO;	13:23
		• ,	DERWENT;	
			IBM_TDB	
_	59	, ==,, ,,	USPĀT;	2004/10/12
1		and (location or interaction or	EPO; JPO;	13:24
1		coupling)) not (distribut\$3 adj (scheme	DERWENT;	
		or method or way or procedure) and (service adj logic))	IBM_TDB	
_	14		115DAT.	2004/10/12
	14	near node)	USPAT; EPO; JPO;	13:25
			DERWENT;	13.23
	•	,	IBM TDB	
<u> </u>	<u> </u>	I		1

-	13		USPAT;	2004/10/12
		near node) and location	EPO; JPO;	13:26
			DERWENT;	
			IBM_TDB	
-	174	(place\$5 near node) same location	USPAT;	2004/10/12
			EPO; JPO;	13:27
1			DERWENT;	
			IBM_TDB	
-	58	1 12	USPAT;	2004/10/12
		service	EPO; JPO;	13:27
1			DERWENT;	
İ			IBM_TDB	
ļ 	58	1 , 12	USPAT;	2004/10/12
ļ		service) not ((distribut\$3 adj (scheme)	EPO; JPO;	13:27
	1	same service and (location or interaction	DERWENT;	
		or coupling)) not (distribut\$3 adj	IBM_TDB	
		(scheme or method or way or procedure)		
		and (service adj logic)))		
-	3		USPAT;	2004/10/12
		near2 node)	EPO; JPO;	13:35
			DERWENT;	
			IBM_TDB	
-	4	service near inform\$3 near location	USPAT;	2004/10/12
			EPO; JPO;	13:37
	İ		DERWENT;	
			IBM TDB	
-	464	inform\$3 near location	USPAT;	2004/10/12
		·	EPO; JPO;	13:37
	1		DERWENT;	
			IBM TDB	
-	0	inform\$3 near location same distrivution	USPAT;	2004/10/12
			EPO; JPO;	13:37
	İ		DERWENT;	
			IBM TDB	
-	6	inform\$3 near location same distribution	USPAT;	2004/10/12
			EPO; JPO;	13:38
			DERWENT;	
			IBM TDB	
-	0	inform\$3 near location and distribut\$3	USPAT;	2004/10/12
		adj component	EPO; JPO;	13:38
			DERWENT;	
			IBM_TDB	
-	1		USPAT;	2004/10/12
		near component)	EPO; JPO;	14:10
1			DERWENT;	
[_		IBM_TDB	
-	1767	service adj distribut\$3	USPAT;	2004/10/12
1			EPO; JPO;	14:26
			DERWENT;	
			IBM_TDB	
-	817	service adj distribut\$3 and execut\$3	USPAT;	2004/10/12
			EPO; JPO;	14:12
			DERWENT;	
			IBM_TDB	
-	15		USPAT;	2004/10/12
	1	near engine)	EPO; JPO;	14:13
	1		DERWENT;	
	İ		IBM_TDB	
-	147	1 , , , , , , , , , , , , , , , , , , ,	USPAT	2004/10/12
		and distribut\$3		14:16
-	0	service adj engine same (inform\$3 near	USPAT;	2004/10/12
		location)	EPO; JPO;	15:02
·			DERWENT;	
		<u> </u>	IBM_TDB	
-	0		USPAT;	2004/10/12
		location)	EPO; JPO;	14:27
			DERWENT;	
			IBM_TDB	
_	1	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/12
		location)	EPO; JPO;	14:29
			DERWENT;	
	L		IBM_TDB	

		,		
-	18192	component near2 distribut\$3	USPAT;	2004/10/12
			EPO; JPO;	14:37
			DERWENT;	
	29		IBM_TDB USPAT;	2004/10/10
-	29	component near2 distribut\$3 near location		2004/10/12
			EPO; JPO;	14:39
			DERWENT; IBM TDB	
l _	36	(inform\$3 or notify\$3 or communicat\$3 or	USPAT;	2004/10/12
	30	forward\$3) adj location near (engine or	EPO; JPO;	14:53
		server)	DERWENT;	14.55
		Jerver)	IBM TDB	
l <u>-</u>	925355	"SEE"	USPAT;	2004/10/12
] 220000	923	EPO; JPO;	14:52
			DERWENT;	,
			IBM TDB	ļ
_	793	"SEE" near node	USPAT;	2004/10/12
			EPO; JPO;	14:52
		-	DERWENT;	
:			IBM TDB	
-	35		USPAT;	2004/10/13
		forward\$3) adj (node adj location)	EPO; JPO;	10:15
		_	DERWENT;	
			IBM_TDB	
-	7675	distribut\$3 adj (component or service)	USPĀT;	2004/10/12
			EPO; JPO;	14:56
			DERWENT;	
			IBM_TDB	
-	37		USPAT;	2004/10/12
		and ((inform\$3 or register\$3 or notify\$3)	EPO; JPO;	14:57
		adj location)	DERWENT;	
	_		IBM_TDB	0004/10/10
-	0		USPAT;	2004/10/12
		location)	EPO; JPO;	15:06
			DERWENT;	
_	162	 service adj logic adj execut\$3	IBM_TDB USPAT;	2004/10/12
	102	service and rodic and evenues -	EPO; JPO;	15:06
			DERWENT;	10.00
			IBM TDB	
_	91	service adj logic adj execut\$3 and	USPAT;	2004/10/12
		(location)	EPO; JPO;	15:08
		1 ,,	DERWENT;	
			IBM TDB	
-	69	service adj logic adj execut\$3 and	USPAT;	2004/10/12
		(location) and distribut\$3	EPO; JPO;	15:39
		<u>'</u>	DERWENT;	
]			IBM_TDB	
-	14	("4757267" "5481603" "5506897"	USPĀT	2004/10/12
		"5524146" "5533107" "5588048"		15:19
		"5592541" "5805688" "5867570"		
		"5878126" "6075853" "6097802"		
		"6185289" "6330324").PN.		
-	100	distribut\$3 near2 service near node	USPAT;	2004/10/12
			EPO; JPO;	15:41
			DERWENT;	
],, , ,, ,,,	IBM_TDB	
-	68		USPAT;	2004/10/12
		(location or geograph\$9 or position)	EPO; JPO;	15:42
			DERWENT;	
_	.,	digtnibutés noons remains area and a	IBM_TDB	2004/10/12
-	51	distribut\$3 near2 service near node and	USPAT;	2004/10/12 15:44
		(location or geograph\$9 or position) and physical	EPO; JPO; DERWENT;	13:44
		bulletoat	IBM TDB	
_	15	service adj logic near execut\$3 and	USPAT;	2004/10/12
	13	((location or geograph\$9 or position)	EPO; JPO;	16:15
		near node)	DERWENT;	10.10
			IBM TDB	
	·	<u> </u>	, <u></u>	

	, <u> </u>			
-	1	service adj logic near execut\$3 and	USPAT;	2004/10/12
		((location or geograph\$9 or position)	EPO; JPO;	16:16
		near component)	DERWENT;	
		-	IBM TDB	
-	12	service adj logic near execut\$3 and	USPAT;	2004/10/12
		((location or geograph\$9 or position)	EPO; JPO;	16:16
		near distribut\$3)	DERWENT;	
			IBM TDB	
-	1	US-6064726-A.DID. not 6463454.PN.	USPAT;	2004/10/12
			EPO; JPO;	16:16
			DERWENT;	
			IBM TDB	
1 -	12	service adj logic near execut\$3 and	USPĀT;	2004/10/12
1		((inform\$3 or receiv\$3) adj location)	EPO; JPO;	16:19
1			DERWENT;	
			IBM TDB	
-	13	service adj logic near execut\$3 same	USPAT;	2004/10/13
!		location	EPO; JPO;	13:21
			DERWENT;	
			IBM TDB]
-	69	(379/93.29).CCLS.	USPAT	2004/10/12
				17:29